



Installation Example

Concrete Class A 15 - C 250

HAURATON recommends that the channels are installed in areas that will not be subject to a wheel load such as in between or outside the wheel tracks.



* y = Channel height plus camber

Category according to EN 1433 / DIN 19580		A 15	B 125	C 250	D 400**	E 600**	F 900**	Applying to following systems: FASERFIX KS 100, 150, 200 shallow	
Foundation: width x / height y / thickness z (in cm)									
EN 206-1 / DIN 1045-2	quality of concrete stretcher	C35/45 XD3, XF4, XM2	C35/45 XD3, XF4, XM2	C35/45 XD3, XF4, XM2					
	without danger of frost on the lateral support	C25/30 X0	C25/30 X0	C25/30 X0					
The named concrete quality is a minimum quality		with danger of frost on the lateral support	C25/30 XF3	C25/30 XF3	C25/30 XF3				
The installation examples / advise constantly are adapted to the technical conditions. With new editions older expenditures lose their validity. Before planning or installation please verify the current version at www.hauraton.com In building construction is a sealing layer below the channels necessary. The installation example represents a proven recommendation from HAURATON. The final responsibility for the execution lies with the planner in charge. Specific conditions of the project must be taken into account.					Date: 06.07.2022		Our general installation instructions apply.		Format DIN A4
									scale 1:2,5
					0000023704_BRITISH.dwg		12	EBBw	 Unit 4, Frenchs Avenue LU6 1BH Dunstable / Bedfordshire United Kingdom Tel. +44 1582 501380 TS-UK@hauraton.com
					FF-Flach-KS-100 Typ 80 Rinnenunterteil Einbaubeispiel Klasse C 250 in Beton				